



Cordless Hedge Trimmer
DUH501 / DUH601 / DUH751
DUH502 / DUH602 / DUH752

Satisfy Professional's Needs

LXT



High efficiency as
22cc class petrol
hedge trimmer

18V
LITHIUM-ION

500 mm


DUH501

Sharp edge Blade



DUH502

Standard Blade



600 mm


DUH601

Sharp edge Blade



DUH602

Standard Blade



750 mm


DUH751

Sharp edge Blade



DUH752

Standard Blade



BL XPT
MOTOR

Delivers the power demanded for e



Light weight

3.8 kg

Batteries: BL1815N (1.5Ah)
Model: DUH601

Optimum blade



Sharp edge blade

Upper blade...curving

Lower blade...curving

Contact point is a

+



Long run time

No load continuous
run time (approx)

165 min

(DUH601
Low mode
with BL18150B)

High speed mode ▶ **45 min**

Anti-vibration structure

consisting of Motor-crank section and handle section linked by 5 cushions to absorb vibration from blade and motor-crank section



Rubber ring x5



Reverse rotation system

for freeing the blade when it is jammed by thick branches.



Variable 3-speed



High 3-4400 RPM
Medium 3-1400 RPM
Low 3-2300 RPM

Blade tip guard protects blade from unnecessary wear



Power and performance engine hedge trimmers.

Unique shape for smooth cutting

DUH501 / DUH601 / DUH751



High Power and High Speed



BL
MOTOR

High speed –
strokes per minute

4,400 min⁻¹

High speed mode
(No load speed)



photo DUH601

XPT **18V**
LITHIUM-ION

5 position rotating rear handle

- Locks at 45° and 90° left and right and 0°.
- Makes vertical and angled trimming easier and faster.



DUH501 / DUH601 / DUH751



BL XPT

Sharp edge Blade



DUH502 / DUH602 / DUH752



BL XPT

Standard Blade





Accessories

Shear blade & Blade cover for Hedge Trimmer

Shear blade

DUH501 / DUH601 / DUH751

DUH502 / DUH602 / DUH752

Blade cover

DUH501 /
DUH601 /
DUH751

DUH502 /
DUH602 /
DUH752

Model No.	Blade assembly		Blade cover	
	Part No.		Part No.	
DUH501	106096-2		458113-2	
DUH601	106095-1		458114-1	
DUH751	106100-2		458115-0	
DUH502	106096-3		459120-1	
DUH602	106095-1		459121-0	
DUH752	106600-2		459122-7	

Chip receiver assembly set

Prevents branch or leaf debris from scattering around.
• Attachable to either side of the blade

Part No. 199151-5
One touch installation/removal



Cordless Hedge Trimmer

DUH501 / DUH502 100 mm (19-3/4") DUH601 / DUH602 400 mm (25-5/8") DUH751 / DUH752 750 mm (29-1/2")

Variable Speed

Brake

Reversing

Electronic 3-Speed

Constant Speed

Soft Start

	DUH501 / DUH502	DUH601 / DUH602	DUH751 / DUH752
Blade Length	500 mm (19.68")	400 mm (25.58")	750 mm (29.53")
Max Cutting Capacity	DUH501: 21.1 mm (1.1") DUH502: 21.1 mm (0.8")	DUH601: 21.1 mm (1.1") DUH602: 21.1 mm (0.8")	DUH751: 21.1 mm (1.1") DUH752: 21.1 mm (0.8")
Strokes Per Minute (SPM)	High / Med / Low 0 - 6,400 / 0 - 3,600 / 0 - 2,000	0 - 6,400 / 0 - 3,600 / 0 - 2,000	0 - 6,400 / 0 - 3,600 / 0 - 2,000
Vibration Level	2.3 m/s ² or less	2.3 m/s ² or less	2.3 m/s ² or less
Sound Pressure Level	DUH501: 82 dB(A) DUH502: 81.7 dB(A)	DUH601: 82 dB(A) DUH602: 81.7 dB(A)	DUH751: 82 dB(A) DUH752: 81.7 dB(A)
Sound Power Level	DUH501: 97 dB(A) DUH502: 96.8 dB(A)	DUH601: 97 dB(A) DUH602: 97.4 dB(A)	DUH751: 97 dB(A) DUH752: 97.4 dB(A)
Dimensions L x W x H	1,100 x 120 x 190 mm 48" x 4.7" x 7.5"	1,170 x 120 x 190 mm 46" x 4.7" x 7.5"	1,300 x 120 x 190 mm 51" x 4.7" x 7.5"
Net weight	DUH501: 3.6 - 4.1 kg (8.0 - 9.0 lbs.) DUH502: 3.7 - 4.4 kg (8.2 - 9.7 lbs.)	DUH601: 3.6 - 4.1 kg (8.0 - 9.0 lbs.) DUH602: 3.7 - 4.4 kg (8.2 - 9.7 lbs.)	DUH751: 3.6 - 4.1 kg (8.0 - 9.0 lbs.) DUH752: 3.7 - 4.4 kg (8.2 - 9.7 lbs.)

Standard Equipment: Blade Covers, Safety Goggles (country-specific), Battery, Charger

*Weight may differ depending on the attachment(s) including the battery unit(s). The lightest and heaviest combinations according to EPA Procedure 01.0114 are shown in the table.
†Name of standard equipment and specifications may vary by country or area.



Outdoor Power Equipment
Accessories

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 199151