



# Cordless Hedge Trimmer

**DUH506** 500 mm (19-3/4")  
**DUH606** 600 mm (23-5/8")

Satisfy Professional's Needs



Run time\*  
DUH506/DUH606  
**75/70 min**  
Battery: BL1860B

Strokes per minute  
**4,000 min<sup>-1</sup>**

Net weight  
**2.9 kg**  
Battery: BL1860B  
Model: DUH506



\*Continuous run time on a single full battery charge / No load continuous run time (approx)



# Smooth and efficient trimming

- Equipped with BL motor to increase the number of strokes and output power for smooth and efficient trimming.
- Constant speed control suppresses rotation drop to enable stable mowing.



## Lightweight design

The guide bar is made of aluminum to make the front of the tool lighter for reducing user fatigue.

Blade length: 500mm

Blade length: 600mm

**XPT**

eXtreme Protection Technology

## New chip receiver (option)

can make it easier for user to collect leaf and twig debris, thanks to:

- Lower height of the connecting levers
- Reduced step height of the edge of the chip catching plate



## Highly durable crank mechanism

Increased crank wall thickness can:

- reduce the chance of falling off of the blade from the crank.
- increase the contact area between the crank and blade, reducing wear of the crank.



## Redesigned switch lever easy-to-press

can be pressed without gripping the front handle deep in your palm, allowing for easy on/off control.



Current



New

## Accessories

### Shear blade set



### Blade cover



### Chip receiver



Model No.	Shear blade set	Blade cover	Chip receiver
<b>DUH506 (500mm)</b>	1910H8-2	413L91-8	1910T1-0
<b>DUH606 (600mm)</b>	1910H9-0	413L92-6	1910T2-8

## Charging Time

	Fast Charging	
	DC18RC	DC18SD
<b>BL1815N</b> 1.5Ah	<b>15 min</b>	<b>30 min</b>
<b>BL1820B</b> 2.0Ah	<b>24 min</b>	<b>45 min</b>
<b>BL1830B</b> 3.0Ah	<b>22 min</b>	<b>60 min</b>
<b>BL1840B</b> 4.0Ah	<b>36 min</b>	<b>90 min</b>
<b>BL1850B</b> 5.0Ah	<b>45 min</b>	<b>110 min</b>
<b>BL1860B</b> 6.0Ah	<b>55 min</b>	<b>130 min</b>

## Cordless Hedge Trimmer

### DUH506 / DUH606 500 mm (19-3/4") / 600 mm (23-5/8")

	DUH506	DUH606
Brake	Blade Length 500 mm (19-3/4")	600 mm (23-5/8")
Constant Speed	Max Cutting Capacity 20.0 mm (13/16")	20.0 mm (13/16")
	Strokes Per Minute (SPM) 4,000	4,000
	Continuous Use (min.) w/ BL1860B: 75	w/ BL1860B: 70
	Sound Pressure Level 77 dB(A)	79 dB(A)
	Sound Power Level 88 dB(A)	90 dB(A)
	Vibration Level 2.5 m/s <sup>2</sup> or less	2.5 m/s <sup>2</sup> or less
	Dimensions (L x W x H) 897 x 207 x 185 mm (35-1/4 x 8-1/8 x 7-1/4")	1,016 x 207 x 185 mm (40 x 8-1/8 x 7-1/4")
	Net weight 2.5 - 2.9 kg (5.5 - 6.4 lbs.)	2.7 - 3.0 kg (6.0 - 6.6 lbs.)

Standard Equipment : Blade Cover, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

**Makita Corporation**

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202210