Two 18V Li-ion batteries can be directly installed on the machine to supply energy to the powerful 36V DC motor drive system.



45° stopper Positive stop at 45°

· Bevel angle range can be changed from "0°-45°" to "0°-50°".

ahead for a better cutting view.

 Precision bevel adjustment can be made at 45°

Battery & Charger Time Reference Chart (in Minutes)





Cordless Circular Saw	DHS710 190mm (7-1/2")		442
Brake Dust Collecting Soft Start Carrying Case	Max cutting capacity Blade diameter No load speed (rpm) Dimensions (L x W x H) Net weight* Standard Equipment:	DHS710 at 0 degrees : 68.5mm (2-11/16") at 45 degrees : 49mm (1-15/16") 190mm (7-1/2"") 4,800 356x217x298mm (14"x8-1/2"x11-3/4") 4.7kg (10.4bs)	
	Fast Charger, Battery Cartridge, TCT Saw Blade, Hex Wrench, Rip Fence, Dust Nozzle (for European countries only)		ies only)

*weight according to EPTA-Procedure 01/2003 Items of standard equipment and specifications may vary by country or area.



Makita New Zealand Ltd. 15 Orbit Drive, Mairangi Bay

Visit our website for information and tool features www.makita.co.nz



Cordless Circular Saw DHS710 190mm (7-1/2")







As Powerful As Corded Circular Saw

OVERWHELMINGLY HIGH POWER



Max cut depth at 0°

190mm (7-1/2") 185mm (7-1/4") Blade Blade

68.5 mm (2-11/16")

66 mm (2-5/8")

DC circular saws with extra-high power that is as close to the power of AC models as possible.

Lightweight design


- Weighs the same or lighter than our 185mm AC model even with two BL1830 batteries.
- Uses durable but light magnesium die-cast for Blade case and Safety cover.



DHS710 4.7kg (10.4lbs) 4.8kg (10.6lbs)

Cutting Speed

Test material: MDF of 2 x 10 (38mm x 235mm), Bevel angle: 0°



Work Amount on a single full battery charge

Test material: 50mm x 300mm Melapi, Bevel angle: 0°



Note: 1. The test results depend to a great extent on the hardness of materials, etc. 2. The numbers in the charts are relative values when the capacities of Makita BSS611 are indexed at 100. Power source: DHS710 by two 18V-3.0Ah BL1830 BSS611 by 18V-3.0Ah BL1830 Blade used for tests: Saw blade supplied with each model

Well balanced design for easy operation

